

[CLAIMS]

What is claimed is:

1. An active matrix type display comprising:
 - a plurality of gate wirings formed on a substrate;
 - a plurality of data wirings formed on the substrate substantially orthogonal to the gate wirings;
 - a thin film transistor formed in a plurality of pixel areas decided by the gate wirings and the data wirings and arranged in a matrix shape;
 - a pixel electrode formed in the pixel area and connected to the thin film transistor; and
 - a plurality of storage capacitor electrodes forming a plurality of storage capacitors between the substrate, the pixel electrode and the storage capacitor electrodes via a plurality of insulating films.
2. An active matrix type display as set forth in claim 1, wherein a plurality of the storage capacitors are connected in parallel.
3. An active matrix type display as set forth in claim 1, wherein at least more than two layers among a plurality of the storage capacitor electrodes are laminated to overlap via a insulating film viewing from the direction perpendicular to the substrate.
4. An active matrix type display as set forth in claim 1, wherein the thin film transistor is a planer type structure having an operating semiconductor layer formed on the substrate, a gate

insulating film formed on the operating semiconductor layer, a gate electrode formed on the gate insulating film, a first and second semiconductor layers formed on both sides of the operating semiconductor layer including impurity, a source electrode including the first semiconductor layer electrically connected to the pixel electrode via a contact window opened to the first and second insulating layers laminated on the first semiconductor layer, and a drain electrode including the second semiconductor layer and connected to the data wirings;

the gate wirings also serving as the gate electrode; and
a plurality of the storage capacitor electrodes using the first semiconductor layer as a first storage capacitor electrode, having a second storage capacitor electrode being formed between the first insulating film and the second insulating film and connected to a storage capacitor wiring maintained at a predetermined potential, wherein at least a first storage capacitor is structured by the first storage capacitor electrode, the first insulating film and the second storage capacitor electrode, and a second storage capacitor is structured by the second storage capacitor electrode, the second insulating film and the pixel electrode.

5. An active matrix type display as set forth in claim 4, wherein the first storage capacitor electrode uses a semiconductor layer formed isolated from the first semiconductor layer instead of the first semiconductor layer.

6. An active matrix type display as set forth in claim 1, wherein a plurality of the storage capacitor electrodes have a third storage

capacitor electrode formed on the first insulating film in the gate wiring area at a previous stage of the pixel area and connected to the pixel electrode in the pixel area, and a fourth storage capacitor electrode formed on the second insulating film in the gate wiring area and the data wiring area and providing an end of the pixel electrode formed on a third insulating film formed at upper portion and an end overlapping viewing the substrate perpendicularly, wherein a third storage capacitor is structured by the third storage capacitor electrode, the second insulating film and the fourth storage capacitor electrode, and the fourth storage capacitor is structured by the fourth storage capacity electrode, the third insulating film and the pixel electrode.

7. An active matrix type display as set forth in claim 6, wherein a fifth storage capacitor is structured by the third storage capacitor electrode, the first insulating film and the gate wiring.

8. An active matrix type display as set forth in claim 6, wherein the fourth storage capacitor electrode also serves as a storage capacitor wiring.

9. An active matrix type display as set forth in claim 6, the fourth storage capacitor electrode also serves as a shading film.

add
A1